

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	("5241594" "5655077" "5684950" "5944824" "6092196" "6119160" "6141687").pn.	USPAT	OR	OFF	2003/12/05 15:04
S2	5	("5991828" "6009103" "6026441" "6091951" "6092178").pn.	USPAT	OR	OFF	2002/10/21 13:34
S3	11	("5610910" "5671354" "5815665" "5987232" "5991810" "6006334" "6011910" "6018770" "6021496" "6047376" "6092196").pn.	USPAT	OR	OFF	2002/10/21 13:36
S4	1	"9953408".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2002/10/21 13:39
S5	17	("4763191" "4922486" "4962497" "5003595" "5241599" "5351136" "5367635" "5416842" "5423002" "5440635" "5621721" "5668857" "5809422" "5835727" "5838683" "5845070" "5898780").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2002/10/21 13:44
S6	1	"567217".pn.	EPO	OR	OFF	2002/10/21 16:21
S7	3486	709/223,224,229.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/21 16:24
S8	3876	709/217,218,219,225.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/21 16:23
S9	6605	709/223,224,229.ccls. or 709/217, 218,219,225.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/21 16:24
S10	96	(709/223,224,229.ccls. or 709/217, 218,219,225.ccls.) and AAA\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/21 16:25
S11	20	((709/223,224,229.ccls. or 709/217, 218,219,225.ccls.) and AAA\$2) and NAS\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/21 16:37
S12	10	((((709/223,224,229.ccls. or 709/217,218,219,225.ccls.) and AAA\$2) and NAS\$2) and pop\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/21 16:31

S13	10	((709/223,224,229.ccls. or 709/217,218,219,225.ccls.) and AAA\$2) and NAS\$2) not (((709/223,224,229.ccls. or 709/217,218,219,225.ccls.) and AAA\$2) and NAS\$2) and pop\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/22 11:53
S14	1145	Pop\$2 and nas\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/22 11:54
S15	58	(Pop\$2 and nas\$2) and (point\$2 near3 presence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/22 13:59
S16	28	((Pop\$2 and nas\$2) and (point\$2 near3 presence\$2)) and (network adj access adj server\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/22 13:57
S17	23	((Pop\$2 and nas\$2) and (point\$2 near3 presence\$2)) and (network adj access adj server\$2)) and database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/22 13:57
S18	1269	nas\$2 and (pop\$2 (access adj point\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2002/10/22 14:07
S19	130	(nas\$2 and (pop\$2 (access adj point\$2))) and ((point\$2 near3 presence) (access adj point\$2))	USPAT	OR	OFF	2002/10/22 14:06
S20	82	((nas\$2 and (pop\$2 (access adj point\$2))) and ((point\$2 near3 presence) (access adj point\$2))) and (database\$2 (global adj database\$2))	USPAT	OR	OFF	2002/10/22 14:06
S21	72	((nas\$2 and (pop\$2 (access adj point\$2))) and ((point\$2 near3 presence) (access adj point\$2))) and (database\$2 (global adj database\$2))) and list\$2	USPAT	OR	OFF	2002/10/22 14:11
S22	42	((nas\$2 and (pop\$2 (access adj point\$2))) and ((point\$2 near3 presence) (access adj point\$2))) and (database\$2 (global adj database\$2))) and list\$2) and ((add\$4 delet\$4 modif\$6 chang\$5) same (nas\$2 server\$2 (network adj access adj server\$2)))	USPAT	OR	OFF	2002/10/22 14:15

S23	37	(((((nas\$2 and (pop\$2 (access adj point\$2))) and ((point\$2 near3 presence) (access adj point\$2))) and (database\$2 (global adj database\$2))) and list\$2) and ((add adding added delet\$4 modif\$6 chang\$5) same (nas\$2 server\$2 (network adj access adj server\$2)))	USPAT	OR	OFF	2002/10/24 14:54
S24	1	"6400722".pn. and database\$2	USPAT	OR	OFF	2002/10/24 14:55
S25	1	("6400722".pn. and database\$2) and data	USPAT	OR	OFF	2002/10/28 10:59
S26	1	"6070192".pn. and (data database)	USPAT	OR	OFF	2002/10/25 11:43
S27	1	"6400722".pn. and (POP\$2 (point\$2 near3 Presence))	USPAT	OR	OFF	2002/10/25 15:50
S28	1	("6400722".pn. and (POP\$2 (point\$2 near3 Presence))) and (data near2 center)	USPAT	OR	OFF	2002/10/25 15:50
S29	1	"6070192".pn. and (record\$2 data database)	USPAT	OR	OFF	2002/10/28 10:13
S30	1	"6370515".pn.	USPAT	OR	OFF	2002/10/28 10:17
S31	658	((record adj database) (global adj (database record\$2)) (collection (database record\$2))) same (NAS\$2 (network adj access adj server))	USPAT	OR	OFF	2002/10/28 10:22
S32	45	((record adj database) (global adj (database record\$2)) (collection (database record\$2))) same (NAS\$2 (network adj access adj server))) and (POP\$2 (Point\$2 adj of adj Presence))	USPAT	OR	OFF	2002/10/28 10:21
S33	0	((record adj database) (global adj (database record\$2)) (collection adj (database record\$2))) same (NAS\$2 (network adj access adj server))	USPAT	OR	OFF	2002/10/28 10:23
S34	0	((record adj database) (global adj (database record\$2)) (collection adj (database record\$2))) same (NAS\$2 (network adj access adj server))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2002/10/28 10:24
S35	1138	stor\$5 same (NAS\$2 (network adj access adj server))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2002/10/28 10:27
S36	78	(stor\$5 same (NAS\$2 (network adj access adj server))) and (pop\$2 (point\$2 near2 presence))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2002/10/28 10:27

S37	15	((stor\$5 same (NAS\$2 (network adj access adj server))) and (pop\$2 (point\$2 near2 presence))) and ((database\$2 record\$2) same (NAS\$2 (network adj access adj server)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2002/10/28 10:32
S38	63	((stor\$5 same (NAS\$2 (network adj access adj server))) and (pop\$2 (point\$2 near2 presence))) not (((stor\$5 same (NAS\$2 (network adj access adj server))) and (pop\$2 (point\$2 near2 presence))) and ((database\$2 record\$2) same (NAS\$2 (network adj access adj server))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2002/10/28 10:32
S39	1	"6400722".pn. and backhaul\$2	USPAT	OR	OFF	2002/10/28 11:05
S40	1	("6400722".pn. and backhaul\$2) and (data adj center)	USPAT	OR	OFF	2002/10/28 11:09
S41	2	("6070192" "6400722").pn.	USPAT	OR	OFF	2002/10/28 11:10
S42	0	"6370515".pn. and broadcast\$4	USPAT	OR	OFF	2002/10/28 11:11
S43	0	"6370515".pn. and broadcasting	USPAT	OR	OFF	2002/10/28 11:11
S44	1	((("6070192" "6400722").pn.) and broadcast\$5	USPAT	OR	OFF	2002/10/28 11:15
S45	1	((("6070192" "6400722").pn.) and broadcast\$5 and message\$2	USPAT	OR	OFF	2002/10/28 11:16
S46	1	((("6070192" "6400722").pn.) and broadcast\$5 and message\$2 and (data adj center)	USPAT	OR	OFF	2002/10/28 11:58
S47	1	"6400722".pn.	USPAT	OR	OFF	2002/10/28 13:16
S48	0	"6400722".pn. and (IWF\$2 same (AAA valid\$6))	USPAT	OR	OFF	2002/10/28 11:59
S49	0	"6400722".pn. and (NAS\$2 same (AAA valid\$6 user password))	USPAT	OR	OFF	2002/10/28 12:00
S50	1	"6400722".pn. and (IWF\$3 same (AAA valid\$6 user password))	USPAT	OR	OFF	2002/10/28 12:58
S51	0	("6400722".pn. and (IWF\$3 same (AAA valid\$6 user password))) and AAA\$2	USPAT	OR	OFF	2002/10/28 12:58
S52	1	"6400722".pn. and (control (network adj control))	USPAT	OR	OFF	2002/10/28 13:47
S53	1	("6400722".pn. and (control (network adj control))) and interface\$2	USPAT	OR	OFF	2002/10/28 14:27
S54	0	("6400722".pn. and (control (network adj control))) and interface\$2 and (gateway\$2 (gate adj way))	USPAT	OR	OFF	2002/10/28 13:53

S55	1	"6070192".pn. and (network adj control\$5) and interface\$2	USPAT	OR	OFF	2002/10/28 14:46
S56	0	"6070192".pn. and broker\$2	USPAT	OR	OFF	2002/10/28 14:46
S57	1	"6400722".pn. and broker\$2	USPAT	OR	OFF	2002/10/28 14:48
S58	2	("6400722" "6070192").pn. and (broker\$2 Active\$5)	USPAT	OR	OFF	2002/10/28 15:00
S59	1	("6400722" "6070192").pn. and (point\$2 near3 presence)	USPAT	OR	OFF	2002/10/28 15:02
S60	1	("6400722" "6070192").pn. and (pop\$2 (point\$2 near3 presence))	USPAT	OR	OFF	2002/10/28 16:10
S61	2	("6400722" "6070192").pn. and RADIUS	USPAT	OR	OFF	2002/10/28 16:24
S62	2	("6400722" "6070192").pn. and (match\$5 compar\$4)	USPAT	OR	OFF	2002/10/28 16:40
S63	2	("6400722" "6070192").pn. and ((shared adj secret\$2) password\$2)	USPAT	OR	OFF	2002/10/28 16:49
S64	1	("6400722" "6070192").pn. and AAA\$2	USPAT	OR	OFF	2002/10/29 08:51
S65	1	"6400722".pn.	USPAT	OR	OFF	2003/05/16 10:26
S66	1	"6400722".pn. and (data database\$2)	USPAT	OR	OFF	2003/05/16 13:36
S67	1	"6400722".pn. and (data database\$2) and nas\$3	USPAT	OR	OFF	2003/05/16 13:37
S68	1	"6400722".pn. and nas\$3	USPAT	OR	OFF	2003/05/16 14:27
S69	1	"6400722".pn. and (IWF\$4 and message\$2)	USPAT	OR	OFF	2003/05/16 15:32
S70	1	"6400722".pn. and register\$4	USPAT	OR	OFF	2003/05/17 11:45
S71	1	"6070192.pn.\"	USPAT	OR	OFF	2003/05/17 11:45
S72	1	"6070192".pn.	USPAT	OR	OFF	2003/05/17 11:45
S73	0	"6070192".pn. and home	USPAT	OR	OFF	2003/05/17 12:27
S74	1	"6070192".pn. and (authentication authorization accounting)	USPAT	OR	OFF	2003/05/17 12:28
S75	1	"6070192".pn. and (authentication authorization accounting aaa\$3)	USPAT	OR	OFF	2003/05/17 12:28
S76	77580	NAS\$3 (network near4 server\$2)	USPAT	OR	OFF	2003/12/05 15:05
S77	3489	(NAS\$3 (network near4 server\$2)) and ((point near4 present\$2) pop\$2)	USPAT	OR	OFF	2003/12/08 09:02
S78	376	((NAS\$3 (network near4 server\$2)) and ((point near4 present\$2) pop\$2)) and ((database (data near3 center)) near5 (send\$4 distribut\$4))	USPAT	OR	OFF	2003/12/05 15:08

S79	393	((NAS\$3 (network near4 server\$2)) and ((point near4 present\$2) pop\$2)) and ((database (data near3 center)) near5 (broadcast\$4 send\$4 distribut\$4))	USPAT	OR	OFF	2003/12/08 09:03
S80	5236	(NAS\$3 (network near4 server\$2)) and ((access near4 point\$2) (point near4 present\$2) pop\$2)	USPAT	OR	OFF	2003/12/08 09:31
S81	613	((NAS\$3 (network near4 server\$2)) and ((access near4 point\$2) (point near4 present\$2) pop\$2)) and ((database (data near3 center)) near5 (broadcast\$4 send\$4 distribut\$4))	USPAT	OR	OFF	2003/12/08 09:57
S82	416	((NAS\$3 (network near4 server\$2)) and ((access near4 point\$2) (point near4 present\$2) pop\$2)) and ((database (data near3 center)) near5 (broadcast\$4 send\$4 distribut\$4))) and (database\$2 near5 (updat\$4 modif\$5 chang\$4))	USPAT	OR	OFF	2003/12/08 09:59
S83	42	((NAS\$3 (network near4 server\$2)) and ((access near4 point\$2) (point near4 present\$2) pop\$2)) and ((database (data near3 center)) near5 (broadcast\$4 send\$4 distribut\$4))) and (database\$2 near5 (updat\$4 modif\$5 chang\$4))) and roam\$4	USPAT	OR	OFF	2003/12/08 09:12
S84	2	((NAS\$3 (network near4 server\$2)) and ((access near4 point\$2) (point near4 present\$2) pop\$2)) and ((database (data near3 center)) near5 (broadcast\$4 send\$4 distribut\$4))) and (database\$2 near5 (updat\$4 modif\$5 chang\$4))) and (home near4 ((access near4 point\$2) (point near4 present\$2) pop\$2))	USPAT	OR	OFF	2003/12/08 10:07
S85	2131	((NAS\$3 (network near4 server\$2)) and ((access near4 point\$2) (point near4 present\$2) pop\$2)) and ((database server\$2 (data near3 center)) near5 (broadcast\$4 send\$4 distribut\$4))	USPAT	OR	OFF	2003/12/08 09:58

S86	1215	(((NAS\$3 (network near4 server\$2)) and ((access near4 point\$2) (point near4 present\$2) pop\$2)) and ((database server\$2 (data near3 center)) near5 (broadcast\$4 send\$4 distribut\$4))) and ((database server\$2 (data near3 center\$2)) near5 (updat\$4 modif\$5 chang\$4)))	USPAT	OR	OFF	2003/12/08 13:33
S87	7	(((NAS\$3 (network near4 server\$2)) and ((access near4 point\$2) (point near4 present\$2) pop\$2)) and ((database server\$2 (data near3 center)) near5 (broadcast\$4 send\$4 distribut\$4))) and ((database server\$2 (data near3 center\$2)) near5 (updat\$4 modif\$5 chang\$4))) and (home near4 ((access near4 point\$2) (point near4 present\$2) pop\$2))	USPAT	OR	OFF	2004/04/13 15:24
S88	168	(((NAS\$3 (network near4 server\$2)) and ((access near4 point\$2) (point near4 present\$2) pop\$2)) and ((database server\$2 (data near3 center)) near5 (broadcast\$4 send\$4 distribut\$4))) and ((database server\$2 (data near3 center\$2)) near5 (updat\$4 modif\$5 chang\$4))) and (synchroni\$5 same database\$2)	USPAT	OR	OFF	2003/12/08 13:34
S89	595	((NAS\$2 (network\$2 near3 server\$2)) same (pop\$2 (point\$2 near3 present\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/14 13:15
S90	636	(NAS\$2 (network near3 server\$2)) same (pop\$2 (point\$2 near3 presen\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/13 10:37
S91	449	((NAS\$2 (network near3 server\$2)) same (pop\$2 (point\$2 near3 presen\$3))) and (database\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/13 10:38
S92	179	(((NAS\$2 (network near3 server\$2)) same (pop\$2 (point\$2 near3 presen\$3))) and (database\$2)) and (((broadcast\$4 send\$4 distribut\$4) near5 (message\$2 data)) same ((NAS\$2 (network\$2 near3 server\$2) POP\$2 (point\$2 near3 presen\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/13 12:48

S93	19	(((NAS\$2 (network near3 server\$2)) same (pop\$2 (point\$2 near3 presen\$3)))) and (database\$2)) and (((broadcast\$4 send\$4 distribut\$4) near5 (message\$2 data)) same ((NAS\$2 (network\$2 near3 server\$2) POP\$2 (point\$2 near3 presen\$4)))) and roam\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/13 12:48
S94	38	(((NAS\$2 (network\$2 near3 server\$2)) same (pop\$2 (point\$2 near3 present\$2)))) and roam\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/13 12:49
S95	8871	((NAS\$2 (network\$2 near3 server\$2) (access\$4 near3 server\$2)) and (pop\$2 (point\$2 near3 present\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/13 15:23
S96	311	(((NAS\$2 (network\$2 near3 server\$2) (access\$4 near3 server\$2)) and (pop\$2 (point\$2 near3 present\$2)))) and roam\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/13 15:23
S97	128	(((NAS\$2 (network\$2 near3 server\$2) (access\$4 near3 server\$2)) and (pop\$2 (point\$2 near3 present\$2)))) and roam\$4) not (((NAS\$2 (network\$2 near3 server\$2)) same (pop\$2 (point\$2 near3 present\$2)))) and roam\$4)	USPAT	OR	OFF	2004/04/13 15:52
S98	273	(((NAS\$2 (network\$2 near3 server\$2) (access\$4 near3 server\$2)) and (pop\$2 (point\$2 near3 present\$2)))) and roam\$4) not (((NAS\$2 (network\$2 near3 server\$2)) same (pop\$2 (point\$2 near3 present\$2)))) and roam\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/13 15:52
S99	145	(((NAS\$2 (network\$2 near3 server\$2) (access\$4 near3 server\$2)) and (pop\$2 (point\$2 near3 present\$2)))) and roam\$4) not (((NAS\$2 (network\$2 near3 server\$2)) same (pop\$2 (point\$2 near3 present\$2)))) and roam\$4) not (((NAS\$2 (network\$2 near3 server\$2) (access\$4 near3 server\$2)) and (pop\$2 (point\$2 near3 present\$2)))) and roam\$4) not (((NAS\$2 (network\$2 near3 server\$2)) same (pop\$2 (point\$2 near3 present\$2)))) and roam\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/13 17:13

S10 0	130	(((((NAS\$2 (network\$2 near3 server\$2) (access\$4 near3 server\$2)) and (pop\$2 (point\$2 near3 present\$2)))) and roam\$4) not (((NAS\$2 (network\$2 near3 server\$2)) same (pop\$2 (point\$2 near3 present\$2)))) and roam\$4) not (((NAS\$2 (network\$2 near3 server\$2) (access\$4 near3 server\$2)) and (pop\$2 (point\$2 near3 present\$2)))) and roam\$4) not (((NAS\$2 (network\$2 near3 server\$2)) same (pop\$2 (point\$2 near3 present\$2)))) and roam\$4)) and (database\$2 (data adj base\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/14 13:00
S10 1	575	(list\$2 near4 (NAS\$2 (network near3 server\$2))) same (database\$2 controller\$2 server\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/14 13:07
S10 2	89	(list\$2 near4 (NAS\$2 (network near3 server\$2))) same database\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/14 13:05
S10 3	4	(list\$2 near4 (NAS\$2 (network near2 access near2 server\$2))) same database\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/14 13:05
S10 4	30	(list\$2 near4 (NAS\$2 (network near2 access near2 server\$2))) same (database\$2 controller\$2 server\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/14 13:08
S10 5	156	((NAS\$2 (network\$2 near2 access near2 server\$2)) same (pop\$2 (point\$2 near3 present\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/15 11:13
S10 6	1	"599191".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/15 11:13
S10 7	1	"5999191".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/15 11:13
S15 4	20852	((network near4 (access\$2 server\$2)) (NAS\$2)) same (database\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 09:45
S15 5	9091	((network near4 (access\$2 server\$2)) (NAS\$2)) near6 (database\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 09:46

S15 6	643	((network near3 access\$2 near3 server\$2) (NAS\$2)) near6 (database\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 12:33
S15 7	96	S156 and ((point\$2 near4 presence) pop\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 12:32
S15 8	9252	database\$2 and server\$2 and ((point\$2 near4 presence) pop\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 12:32
S15 9	6556	(database\$2 same server\$2) and ((point\$2 near4 presence) pop\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 12:32
S16 0	1732	S159 and @ad<"20000103"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 15:39
S16 1	309	S160 and ((network near3 access\$2 near3 server\$2) (NAS\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 12:34
S16 2	286	S161 not S157	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 15:37
S16 3	86	((access near3 server\$2) near6 user\$3 near6 database\$2) same (updat\$4 broadcast\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 15:56
S16 4	17	S163 and @ad<"20000103"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 16:00
S16 5	715	((access near3 server\$2) same user\$3 same database\$2) same (updat\$4 broadcast\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 15:56
S16 6	174	S165 and @ad<"20000103"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 16:00
S16 7	157	S166 not S164	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/15 16:00
S16 8	6	database\$2 same (broadcast\$4 updat\$4) same (network adj access adj server\$2)	USPAT	OR	OFF	2004/11/16 10:31

S16 9	4403	database\$2 same (broadcast\$4 updat\$4) same (NAS\$2 server\$2)	USPAT	OR	OFF	2004/11/16 10:31
S17 0	1722	database\$2 near10 (broadcast\$4 updat\$4) near10 (NAS\$2 server\$2)	USPAT	OR	OFF	2004/11/16 12:05
S17 1	1221	S170 and @ad<"20000103"	USPAT	OR	OFF	2004/11/16 12:06
S17 2	111	S171 and broker\$2	USPAT	OR	OFF	2004/11/16 10:32
S17 3	111	S172 not S168	USPAT	OR	OFF	2004/11/16 10:33
S17 4	111	S172 not S168	USPAT	OR	OFF	2004/11/16 10:33
S17 5	2574	database\$2 near10 (broadcast\$4 updat\$4 distribut\$4) near10 (NAS\$2 server\$2 (access near3 point\$2))	USPAT	OR	OFF	2004/11/16 12:06
S17 6	1835	S175 and @ad<"20000103"	USPAT	OR	OFF	2004/11/16 12:06
S17 7	1724	S176 not S173	USPAT	OR	OFF	2004/11/16 12:07
S17 8	71	S177 and broker\$2	USPAT	OR	OFF	2004/11/16 12:07
S17 9	754	ldap (lightweight near5 protocol\$2)	USPAT	OR	OFF	2004/11/18 09:49
S18 0	350	S179 and ((plural\$4 near3 (master\$2 server\$2)) (multi\$4 near3 (server\$2 master\$2)))	USPAT	OR	OFF	2004/11/18 09:51
S18 1	308	S180 and (access\$4 near4 (point\$2 server\$2))	USPAT	OR	OFF	2004/11/18 09:51
S18 2	226	S181 and @ad<"20000103"	USPAT	OR	OFF	2004/11/18 09:51
S18 3	210	S182 and database\$2	USPAT	OR	OFF	2004/11/18 12:59
S18 4	1	"6427174".pn.	USPAT	OR	OFF	2004/11/18 13:57
S18 5	85	S183 and (synchron\$6 same server\$2)	USPAT	OR	OFF	2004/11/18 13:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3717	455/3.03,432.1,433,435.1,436.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 10:13